

LUBEMPIRE™

LUBRICANT • BASE OIL

DELIVERING ENERGY TO THE NATIONS

FOLLOW US ON :    



Manufacturer of All Type of Lubricating Oil & Grease etc.

www.lubempire.co.in | E-mail : info@lubempire.co.in , Lubempireind@gmail.com

LUBEMPRE And Automotive Was Founded In 2022 As Quality Lubricating Oil Trader . We Are In Lubricating Oil Business Since 2023. Afte Gathering Strength Through Experience During This Period. We Decided To Meet The Demand Of Lubricants Market By Establishing Our Own Manufacturing Unit And Blending Plant In 2023, As The Emerging Quality Lubricants Oil Manufacturer In Surat-gujarat-india.For us the Quality and Customer Satisfaction always comes first place. So that we always purchase Base Oil and other required chemicals from the trusted and quality manufactures. We always follow various Quality Standards in our different range of products. We believe in building healthy business relation with our precious customers.

ABOUT:-

LUBEMPRE Lubricant and automotive is a 100% Indian owned company operating in India for over 2 years as supplier of high quality lubrications oils & grease for industrial & automotive use. All our products meets and in most cases exceed the specification set by motor manufacturers companies around the world. Our products are independently blended & manufactured under strictest specification for today. LUBEMPRE in cooperated with a clean vision to develop manufacture and to market the lubricants A basket full of products with the latest chemical technology are developed at well equipped modern manufacturing & testing facility at surat, India. Company has highly equipped plant with capacity to blend lubes and additives. Company also has state of art & R&D back up with desired facilities to maintain quality specifications. The entire process at Pre & Post Production is supervised by the expertise staff. Company's experienced technocrat staff is exploring new ideas to meet the market demands




OUR COMPANY VISION MISSION

The ensure continuous expansion of the company, by elevating the standards of our products and services thus improving customer satisfaction. To diversify our product-range based on elaborate research and development. To create growth opportunities and maximize share holder value. To abide commitment to safety, Healthy and environment.



OUR PRODUCTS





Pack size :- 900ml,1,10,20,55,210 ltr



Pack size :- 900ml,1,10,20,55,210 ltr

REVOLT 4T - SAE 20W40 / API-SL

REVOLT-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, REVOLT-4T Exceeds API SL Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.



LYNX 4T - SAE 20W40 / API-SN

LYNX-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, LYNX-4T Exceeds API SN Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.





Pack size :- 900ml,1,10,20,55,210 ltr



Pack size :- 900ml,1,10,20,55,210 ltr



MAXINE 4T - 20W50 / API-SN

MAXINE 4T 20W-50 is a high performance conventional four-stroke motorcycle engine oil primarily intended for general use in all types of four-stroke motorcycles and engines.

MAXINE 4T 20W-50 combine highly refined, quality mineral oils and an advanced additive system to provide good engine cleanliness, good wear protection and corrosion protection.



ORION 4T - 10W30 / API-SN

ORION 4T 10W30 is high performance multi-grade engine oil suitable for 2 wheelers having 4 stroke petrol engines. Exceeds the most stringent performance requirements of Semi Synthetic Engine Oil.





Pack size :- 900ml,1,10,20,55,210 ltr



WISE 4T - 20W40 / API-SM

WISE-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, WISE-4T Exceeds API SM Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.



A red Ford Civic is shown from a rear three-quarter view, driving through a tunnel. The tunnel walls and floor are blurred with motion lines, creating a sense of speed. The car is positioned on the right side of the frame, moving towards the left. The lighting is dramatic, with bright light coming from the tunnel's exit on the left, casting long shadows and highlighting the car's contours. The overall color palette is dominated by the red of the car, the blue and white of the tunnel's perspective, and the yellow and black of the graphic borders.

Fully Synthetic Car Engine Oil

Passenger Car Motor Oils | Diesel Engine Oils | Gear Oils | Automatic Transmission Oils | Greases | Hydraulic Oils | Brake Fluids | Coolants | Motorcycle Oil



Pack size :- 2.5,3,3.5,4,4.5,5,10,20,55,210 ltr



Pack size :- 2.5,3,3.5,4,4.5,5,10,20,55,210 ltr

 **RIGEL - 5W30 / API-SN / CI-4** 

RIGEL Made From Fully Synthetic base stock With multi-functional additives. It's designed to provide highly responsive protection that continuously adapts to your driving conditions. The use of selected low-viscosity synthetic base stock further energizes the oil's protective capability that promotes fuel economy performance with no compromise in durability.



 **VEGA SAE - 10W40 / API-SN** 

VEGA 10W40 Made From Fully Synthetic base stock With multi-functional additives. It's designed to provide highly responsive protection that continuously adapts to your driving conditions. The use of selected low-viscosity synthetic base stock further energizes the oil's protective capability that promotes fuel economy performance with no compromise in durability.





Pack size :- 2.5,3,3.5,4,4.5,5,10,20,55,210 ltr



Pack size :- 2.5,3,3.5,4,4.5,5,10,20,55,210 ltr

PHYNOLIC - 0W40 / API-SN / CI-4

PHYNOLIC 0W-40 advanced full synthetic engine oil is engineered for the latest gasoline and diesel engine technology (without Gasoline or Diesel Particulate Filters) delivering excellent all-round performance. It provides exceptional cleaning power, wear protection. PHYNOLIC 0W-40 keeps your engine running like new in all driving conditions.



DENZA - 5W40 / API-SN / CI-4

DENZA SAE 5W40 API SN/CI-4 PLUS ENGINE OIL is an advanced high performance synthetic engine oil designed to help provide outstanding wear protection, excellent cleaning power and outstanding overall performance. SAE 5W-40 Gasoline engine oil meets the requirements of many of the industry and OEM specifications required by newer modern gasoline and diesel powered automobile engines.





Bus, Truck, Car Heavy Duty Engine Oil

Passenger Car Motor Oils | Diesel Engine Oils | Gear Oils | Automatic Transmission Oils | Greases | Hydraulic Oils | Brake Fluids | Coolants | Motorcycle Oil



Pack size :- 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr



Pack size :- 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr

VENUS MAX SAE - 15W40 / API-CI-4

VENUS MAX SAE- 15W40 is a high performance semi synthetic blend engine oil made especially for vehicles fueled with Ultra Low Sulfur Diesel (ULSD) and require the use of Low Ash engine oils, to protect the installed emissions equipment, including DPFs, catalytic converters, EGR and SCR injection. This oil offers excellent performance to maximize component life, extend performance.



VECTOR SAE-20W40 API-SM

VECTOR grades are red colour multigrade car engine oils made from high quality base stocks and additives. They are available in 20W40 viscometrics.





Pack size :- 500ml, 1, 3, 3.5, 4, 4.5, 5, 7.5, 10, 15, 20, 55, 210 ltr



Pack size :- 500ml, 1, 3, 3.5, 4, 4.5, 5, 7.5, 10, 15, 20, 55, 210 ltr



GREEN-X SAE-20W50 API-FB

GREEN-X SAE-20W50 API-SF/CD High Mileage is specially formulated for vehicles. It contains Phosphorus Replacement Technology, which reduces the level of phosphorus and replaces it with a proprietary additive that preserves your emission system while maintaining robust wear protection.



GREEN CNG 2T API-FB

CNG 2T Oil is recommended for its use spiral level and final drives requiring a straight mineral lubricant APL services categories TC convenient . viscosity behavior under load or temperature regime. Suitable Gear protection at high-low speeds as well as in high-low torque operation.





Pack size :- 1,2,5,5,7,5,10,15,20,55,210 ltr



Pack size :- 2.5,3,10,20,55,210 ltr



UTTO OIL API-GL-4

Universal oil for transmission and hydraulic system of tractors equipped with wet brakes. Suitable for all new generation tractors having oil-immersed brakes.

Ensures noise-free operation of immersed brakes with its friction modified technology.



ROYAL X - SAE - 15W50 / API-SN

ROYAL X 15W 50 is a Premium Quality Bullet Engine Oil Made To Cater To The Highly Demanding Lubrication Requirements Of Modern 4-stroke Geared Bikes.





GEAR & HYDRAULIC OIL

Passenger Car Motor Oils | Diesel Engine Oils | Gear Oils | Automatic Transmission Oils | Greases | Hydraulic Oils | Brake Fluids | Coolants | Motorcycle Oil



Pack size :- 500ML,1,5,10,15,20,26,55,210 ltr



Pack size :- 500ML,1,5,10,15,20,26,55,210 ltr

GEARON EP-90 API-GL-5

GEARON EP-90 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON EP-90 especially for hypoid gears (differential) in axle drives at high speed and/or low speed and high torque conditions.



GEARON EP-140 API-GL-5

GEARON EP-140 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON EP-140 especially for hypoid gears (differential) in axle drives at high speed and/or low speed and high torque conditions.





Pack size :- 500ML,1,5,10,15,20,26,55,210 ltr



Pack size :- 500ML,1,5,10,15,20,26,55,210 ltr




GEARON 80W90 API-GL-5

GEARON 80W90 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON 80W90 especially for hypoid gears (differential) in axle drives at high speed and/or low speed and high torque conditions.



HYDRAULIC OIL - AW 68/46/32

HYDRO AW-68/46/32 Series oils are good quality anti-wear hydraulic oils intended for industrial and mobile service applications, subjected to moderate operating conditions and requiring anti-wear lubricants.





Pack size :- 500ML,1,5,10,15,20,26,55,210 ltr



COMPRESSOR - EP 150

Compressor Oil 150 IR is a premium quality compounded lubricant specially developed for cylinder lubrication of gas compressors. Compressor Oil 150 IR is recommended by ExxonMobil for use in reciprocating compressors with separate cylinder lubrication systems operating on natural gas or other hydrocarbon gases.





SPECIAL LUBRICANT

Passenger Car Motor Oils | Diesel Engine Oils | Gear Oils | Automatic Transmission Oils | Greases | Hydraulic Oils | Brake Fluids | Coolants | Motorcycle Oil



Pack size :- 100ml,250ml,500ml,10,20,55,210 ltr



Pack size :- 175,350ml,10,20,55,210 ltr

BRAKE FLUID DOT 3 & DOT 4

- Consistent & steady brake pressure response , through service life.
- Optimal Viscosity - even during extreme temperature conditions.
- Maximum protection against vapour formation and corrosion.
- Enhanced lubrication of the hydraulic components.



FORK OIL

LUBEMPIRE Fork Oil Is An Advanced Mineral Based Suspension Fluid Designed To Provide Superior Damping Performance In All On And Off Road Suspensions.





Pack size :- 500ml,1,5,10,20,55,210 ltr



Pack size :- 500ml,1,5,10,20,55,210ltr

COOLANT

Coolant Boost also contains a robust mixture of corrosion inhibitors that protect the radiator, heater core, water pump, cylinder heads, increased horsepower and significantly reduced engine warm-up times in cold weather, It does not boil in summer and does not freeze in winter, Offers effective engine cooling even in arduous driving conditions.



POWER STEERING OIL

TRANS FLUID is recommended for automatic transmissions and power steering systems of vehicles requiring general motors "TYPE A" quality fluids. Recommended for use in all automatic transmissions, including automatic gearboxes, power assisted steering assemblies, couplers & torque converters etc.





Automotive & Industrial Grease

Passenger Car Motor Oils | Diesel Engine Oils | Gear Oils | Automatic Transmission Oils | Greases | Hydraulic Oils | Brake Fluids | Coolants | Motorcycle Oil



AP-3 GREASE

Ap3 GREASE is a premium quality all purpose automotive grease. Recommended for all types of Wheel bearings used in automobiles e.g Heavy duty, Light commercial, Passenger vehicles. Excellent thermal and oxidation stability. Resistance to water wash out. Superior protection against rusting & corrosion

Pack size :- 500gm,1,5,10,18,180 KG



EP-2 GREASE

Extreme pressure (EP) greases are multifunctional extreme pressure lithium soap greases manufactured from high viscosity index base oils and fortified with carefully selected extreme pressure additives for high load bearing capacity. They are recommended for gearboxes, heavily loaded anti-friction and plain bearing on industrial and automotive equipment.

Pack size :- 500gm,1,5,10,18,180 KG



CHASSIS GREASE

Chassis Grease is a calcium soap grease, having excellent water repellent and good water wash out properties. Recommended for all types of chassis lubrication requirements such as ball joints, suspension, steering gear system, plain bearings, bushings and pins in automotive chassis assemblies.

Pack size :- 500gm,1,5,10,18,180 KG



MP-3 GREASE

Mp3 is a premium quality lithium soap base grease and is recommended for variety of greasing applications in automotive, agriculture, construction and industrial application. It is recommended for lubrication of wheel bearing, chassis, nipple steering linkages, universal joints etc. The grease provides maximum protection by adhering well to the lubricated bearing surfaces sealing them from dirt and abrasive contaminants.

Pack size :- 500gm,1,5,10,18,180 KG



RED GEL GREASE

Red is a long life lithium Red colour gel grease formulated with a specially designed soap system, high viscosity index base oil and carefully balanced additives for lubrication under moderate to heavy loads and intermittent high temperatures. The soap in the grease helps in retaining its structure even under severe service condition and high loads, thereby extends component life through extension of re-lubrication interval.

Pack size :- 500gm,1,5,10,18,180 KG



GEL GREASE

GEL GREASE excellent shear stability, good surface adhesion and antiwear characteristic grease specially formulated from reneid, high viscosity index base oils and lithium complex thickener. This grease is fortified with unique additives for long life performance, rust and oxidation inhibitors specially developed for bearing operating under severe heavy shock loads

Pack size :- 500gm,1,5,10,18,180 KG



Mfg. By :

LUBEMPIRE Petrochem Industries

Kadodara to bardoli road, Jolwa, Surat 394 317

Tel. : 0261-4382109, Mobile : +91-97374 44470

Email : lubempireind@gmail.com ♦ GSTIN : 24AKHPV4223B1ZH

