

LUBEMPIRE[®]

LUBRICANT • BASE OIL

DELIVERING ENERGY TO THE NATIONS



MADE
IN
INDIA



Lubempire.co.in

ABOUT US

LUBEMPIRE PETROCHEM INDUSTRIES is a prominent player in the lubricant engine oil industry, known for its commitment to delivering high-quality automotive engine oils across India. We specialize in providing products that ensure the best mileage and superior engine performance for a wide range of vehicles.

VISION

VISION

To become a leading lubricant dealer on the international stage, recognized for our quality and innovation.

MISSION

To achieve monthly sales of 1 lakh liters of our high-performance engine oils, solidifying our position as a trusted name in the lubricant industry.



PRODUCTS AND SERVICES

We offer a comprehensive range of automotive engine oils designed to meet the needs of various vehicles, from two-wheelers to heavy-duty trucks. Our products are crafted to provide maximum engine protection, efficiency, and extended life, making them a preferred choice for consumers across India.

Why Choose LUBEMPIRE?

USP in Customization

Ensured Quality, Assured Value

Customer Centric Approach

One Stop Shop for All Lubricants

Dedicated Pre & After Sales Support

- Inhouse Testing
- Specialised Technical Service
- Filtration & Condition Monitoring Service

Target Market

Our primary target market spans across India, catering to individual vehicle owners, service centers, automotive dealerships and fleet operators. We aim to expand our reach globally, offering our products to international markets in the near future.

Facility

LUBEMPIRE PETROCHEM INDUSTRIES operates from a modern 377 sq. ft. G+2 facility, equipped with the latest technology to ensure the production of top-quality engine oils.

Our facility is designed to meet high production demands while maintaining stringent quality control standards.

Business Strategy

Our strategy focuses on continuous innovation, quality assurance, and customer satisfaction. We are committed to investing in research and development to keep our products at the forefront of industry standards. Additionally, we aim to build strong relationships with distributors and partners to expand our market presence.

Corporate Social Responsibility (CSR)

LUBEMPIRE PETROCHEM INDUSTRIES is dedicated to sustainability and responsible business practices. We prioritize environmentally friendly production processes and are committed to reducing our carbon footprint. Our CSR initiatives also include community outreach programs aimed at supporting local communities and promoting safe driving practices.

Future Goals

In line with our vision, we plan to:

- Expand our product line to include environmentally friendly and synthetic oils.
- Enter international markets, starting with neighboring countries.
- Increase our production capacity to meet growing demand while maintaining our commitment to quality.



LUBEMPIRE

LUBEMPIRE
LUBRICANT • BASE OIL
DELIVERING ENERGY TO THE NATIONS

LYNX 4T

SAE-20W40 API-SN JASO MA2

FULLY SYNTHETIC
FOUR STROKE BIKE ENGINE OIL



BS6



LYNX-4T SN 20W40

Pack size : 800,900 ml,1,10,20,50,210 ltr.

LYNX-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, LYNX-4T Exceeds API SN Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.



MEXINE-4T

Pack size : 1,10,20,50,210 ltr.

MAXINE 4T 20W-50 is a high performance conventional four-stroke motorcycle engine oil primarily intended for general use in all types of four-stroke motorcycles and engines. MAXINE 4T 20W-50 combine highly refined, quality mineral oils and an advanced additive system to provide good engine cleanliness, good wear protection and corrosion protection.

ORION-4T SEMI SYNTHETIC- 10W30

Pack size : 800,900 ml,1,10,20,50,210 ltr.

ORION 4T10W30 is high performance multi-grade engine oil suitable for 2 wheelers having 4 stroke petrol engines. Exceeds the most stringent performance requirements of Semi Synthetic Engine Oil.



REVOLT-4T SL 20W40

Pack size : 800,900 ml,1,10,20,50,210 ltr.

REVOLT-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, REVOLT-4T Exceeds API SL Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.



WISE-4T SM 20W40

Pack size : 800,900 ml,1,10,20,50,210 ltr.

WISE-4T 20W40 is a blend of Mineral base Stock and blend of selective performance additives, which protects engine, transmission and wet clutch of new generation 4-Stroke two wheelers, WISE-4T Exceeds API SM Performance level and the Stringent Specifications of Jaso MA for 4 Stroke two wheelers.





PHYNOLIC – 0W40

Pack size : 3,3.5,4,4.5,5,10,20,55,210 ltr.

PHYNOLIC 0W-40 API-SN/CI-4 advanced full synthetic engine oil is engineered for the latest gasoline and diesel engine technology (without Gasoline or Diesel Particulate Filters) delivering excellent all-round performance. It provides exceptional cleaning power, wear protection. PHYNOLIC 0W-40 keeps your running like new in all driving conditions.



DENZA -5W40

Pack size : 3,3.5,4,4.5,5,10,20,55,210 ltr.

DENZA 5W40 API SN/CI-4 is a premium synthetic engine oil offering superior wear protection, exceptional cleaning and excellent performance for modern gasoline and diesel engines.



RIGEL – 5W30

Pack size : 3,3.5,4,4.5,5,10,20,55,210 ltr.

RIGEL-5W30 API-SN/CI-4 Made From Fully Synthetic base stock With multi-functional additives. It's designed to provide responsive protection that continuously adapts to your driving conditions. The use of selected low-viscosity synthetic base stock further energizes the oil's protective capability that promotes fuel economy performance with no compromise in durability.



VEGA – 10W40

Pack size : 3,3.5,4,4.5,5,10,20,55,210 ltr.

VEGA-10W40 API-SN/CI-4 Made From Fully Synthetic base stock With multi-functional additives. Its designed to provide highly responsive protection that continuously adapts to your driving conditions. The use of selected low-viscosity synthetic base stock further energizes the oil's protective capability that promotes fuel economy performance with no compromise in durability.



ORION-10W30

Pack size : 3,3.5,4,4.5,5,10,20,55,210 ltr.

ORION-10W30 API-SN/CI-4 is a premium synthetic engine oil offering superior wear protection, exceptional cleaning and excellent performance for modern gasoline and diesel engines.



VENUS MAX-15W40

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

VENUS MAX SAE- 15W40 API-CI-4,CH-4,CF-4 is a high performance semi synthetic blend engine oil made especially for vehicles fueled with Ultra Low Sulfur Diesel (ULSD) and require the use of Low Ash engine oils to protect the installed emissions equipment, including DPFs, catalytic converters EGR and SCR injection.



VECTOR- 20W40

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

VECTOR-20W40 SAE API-SM/CH-4+ grades are red colour multigrade car engine oils made from high quality base stocks and additives.They are available in 20W40 viscometrics.



GREEN-X SAE-20W50

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

GREEN-X SAE-20W50 API-SF/CD High Mileage is specially formulated for vehicles. It contains Phosphorus Replacement Technology, which reduces the level of phosphorus and replaces it with a proprietary additive that preserves your emission system while maintaining robust wear protection.



GREEN CNG 2T OIL

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 Ltr.

GREEN CNG 2T API-FB Oil is recommended for its use spiral level and final drives requiring a straight mineral lubricant APL services categories TC convenient. viscosity behavior under load or temperature regime. Suitable Gear protection at high-low speeds as well as in high-low torque operation.



UTTO OIL

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 Ltr.

UTTO OIL API-GL-4 for transmission and hydraulic system of tractors equipped with wet brakes. Suitable for all new generation tractors having oil-immersed brakes. Ensures noise-free operation of immersed brakes with its friction modifier-technology.



ROYAL X SAE-15W50

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 Ltr.

BULLET 15W50 is a semi synthetic blend premium performance, non-friction modified, shear stable motor cycle Engine oil specially formulated for new generation four stroke motor cycles for longer clutch life by preventing clutch slippage at start up and varying speed



TRACTOR OIL SAE 20W40

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

TRACTOR OIL 20w40 Multigrade Diesel engine oils are high performance, shear-stable, thermal stable new generation oils specially formulated for Tractors & mixed fleet working under severe service conditions. Recommended for use in all types of tractors and fleets with both light and heavy-duty engines where multigrade oil is preferred.



PUMPSET

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

PUMP SET OIL API-20W40/W50 is a superior quality agricultural diesel pumpset oil SAE 20W40 specially developed to meet the severe performance requirements of pump sets and other small stationary diesel engines for industrial use. Recommended for use where multi grade oil is preferred for a wide range of diesel pump sets.



LAAL GHODA SAE 20W40

Pack size : 500ml,1,3,3.5,4,4.5,5,7.5,10,15,20,55,210 ltr.

LAL GHODA 20W 40 is a multi-grade diesel engine oil Meets API CF/SF , US military MIL-L-2104B, E-DL 2, E-PL 2 IS:IS: 13656:2014 specification. Recommended for use in all types of diesel engines in Truck , Bus , MUV, Taxi, Tractor, Pumpset & DG sets.





LUBEMPIRE
LUBRICANT + BASE OIL
DELIVERING ENERGY TO THE NATIONS

TRANS FLUID

ATF

POWER STEERING OIL



5 Ltr.

FRONT FORK OIL

Pack size : 175,350 ml.

LUBEMPIRE Fork Oil Is An Advanced Mineral Based Suspension Fluid Designed To Provide Superior Damping Performance In All On And Off Road Suspensions.



BRAKE OIL DOT-3

Pack size : 100,250 ml.

- Consistent & steady brake pressure response , through service life.
- Optimal Viscosity - even during extreme temperature conditions.
- Maximum protection against vapour formation and corrosion.
- Enhanced lubrication of the hydraulic components.

BRAKE OIL DOT-4

Pack size : 100,250 ml.

- Consistent & steady brake pressure response , through service life.
- Optimal Viscosity - even during extreme temperature conditions.
- Maximum protection against vapour formation and corrosion.
- Enhanced lubrication of the hydraulic components.



COOLANT – GREEN

Pack size : 1,3,5 ltr.

Coolant Boost also contains a robust mixture of corrosion inhibitors that protect the radiator, heater core, water pump, cylinder heads, increased horsepower and significantly reduced engine warm-up times in cold weather, It does not boil in summer and does not freeze in winter, Offers effective engine cooling even in arduous driving conditions.



COOLANT – RED

Pack size : 1,3,5 ltr.

Coolant Boost also contains a robust mixture of corrosion inhibitors that protect the radiator, heater core, water pump, cylinder heads, increased horsepower and significantly reduced engine warm-up times in cold weather, It does not boil in summer and does not freeze in winter, Offers effective engine cooling even in arduous driving conditions.



TRANS FLUID

Pack size : 500 ml / 1,5 ltr.

TRANS FLUID is recommended for automatic transmissions and power steering systems of vehicles requiring general motors " TYPEA " quality fluids. Recommended for use in all automatic transmissions, including automatic gearboxes, power assisted steering assemblies, couplers & torque converters etc.





GEARON-EP-80W90

Pack size : 1,5,10,20,26,55,210 ltr.

GEARON-EP-80W90 AP-GL-5 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON 80W90 especially for hypoid gears (differential) in axle drives at high speed and low speed and high torque conditions.



GEARON 75W85

Pack size : 1,5,10,20,26,55,210 ltr.

Gearon 75W-85 is a premium full synthetic gear oil manufactured from a blend of selected synthetic base oils. It uses the latest additive technology, for smooth operation, long service life and excellent load carrying capacity. It meets the performance requirements of API GL-5 Plus as well as many manufacturer requirements.

GEARON EP-85W140

Pack size : 1,5,10,20,26,55,210 ltr.

EP-85W140 type gear oil is recommended for all types of gears particularly hypoid gears, axles operating under various combinations of high speed shock loads and low speed high torque conditions. ideal for all types of highway and off highway vehicles working under severe and wide varied temperature conditions. This product is also available with "Limited Slip" properties

GEARON EP – 90

Pack size : 1,5,10,20,26,55,210 ltr.

GEARON EP-90 AP-GL-5 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON EP-90 especially for hypoid gears (differential) in axle drives at high speed and/or low speed and high torque conditions.



GEARON EP – 140

Pack size : 1,5,10,20,26,55,210 ltr.

GEARON EP-140 AP-GL-5 are multipurpose gear oils containing extreme pressure additives for moderate service conditions. GEARON EP-140 especially for hypoid gears (differential) in axle drives at high speed and low speed and high torque conditions.



HYDRO – AW 68/46/32

Pack size : 1,5,10,20,26,55,210 ltr.

HYDRO Series oils are good quality anti-wear hydraulic oils intended for industrial and mobile service applications, subjected to moderate operating conditions and requiring anti-wear lubricants.

COMPRESSOR - 150

Pack size : 1,5,10,20,26,55,210 ltr.

Compressor Oil 150 is a premium quality compounded lubricant specially developed for cylinder lubrication of gas compressors. Compressor Oil 150 is recommended by ExxonMobil for use in reciprocating compressors with separate cylinder lubrication systems operating on natural gas or other hydrocarbon gases.



(LITHIUM BASE / CALCIUM BASE)

GREASE EP-1

Pack size : 1,5,10,20,26,55,210 ltr.

Grease EP-1 is a high-performance multipurpose lubricant designed for extreme pressure applications, ensuring smooth operation and superior wear protection. Ideal for automotive, industrial, and heavy machinery use.



GREASE EP-2

Pack size : 1,5,10,20,26,55,210 ltr.

Grease EP-2 is a high-performance lithium-based grease designed to provide superior lubrication and protection under extreme pressure and heavy loads. Ideal for automotive, industrial and machinery applications, it ensures durability and smooth operation.



GREASE EP-3

Pack size : 1,5,10,20,26,55,210 ltr.

Grease EP-3 is a high-performance, multi-purpose grease designed to provide superior lubrication wear resistance and protection against corrosion. Ideal for automotive, industrial and heavy-duty applications.



YELLOW GREASE

Pack size : 1,5,10,20,26,55,210 ltr.

Yellow grease is a recycled oil derived from used cooking fats, ideal for biodiesel production, animal feed, and industrial applications. It offers an eco-friendly solution for sustainable energy and waste management.



HIGH TEMPERATURE

Pack size : 1,5,10,20,26,55,210 ltr.

Engineered to withstand extreme heat, our product delivers unmatched performance even in the toughest high-temperature conditions. Durable, reliable, and built to last!



REG GEL GREASE

Pack size : 1,5,10,20,26,55,210 ltr.

REG Gel Grease is a high-performance lubricant designed for superior protection against wear and corrosion. Its advanced formula ensures smooth operation, reducing friction and extending the life of your machinery.



LUBEMPIRE[®]

LUBRICANT • BASE OIL

DELIVERING ENERGY TO THE NATIONS



MFG. BY
LUBEMPIRE PETROCHEM INDUSTRIES



Lubempire.co.in

LUBEMPIREIND@GMAIL.COM

+91 97374 44470

0261-4394374

DARSHAN INDUSTRIAL, KADODARA TO BARDOLI ROAD, SURAT 394317.